



New

RIBO

PORTABLE COMPRESSOR
20 BAR / 300 PSI



SIMPLE

POWERFUL

HIGH PRECISION

Patented systems

R180

A real novelty in the world of cycling, the R180 allows you to inflate all types of wheels, quickly and with **HIGH PRECISION**

Its integrated battery gives it **GREAT AUTONOMY**

- Great autonomy (more than 25 wheels)
- No maintenance - Oil free
- Tubeless fitting
- Presta & Schrader automatic air Chuck
- Set of additional screw-in air Chuck
- Works alone on its built-in battery
- Works on a 12 V cigarette lighter socket
- Recharges on 12 V or 230 V socket

12 V BATTERY

FAST INFLATION!*


AUTOMATIC SHUTDOWN
programmed pressure

+25 WHEELS
WITHOUT CHARGING

* see examples in the characteristics table

AUTOMATIC AIR CHUCK
PRESTA
SCHRADER

It is put in place by clipping and is locked by rotation. No need to hold the connector in your hand, even under heavy pressure!
Its ergonomic shape is particularly well suited to lenticular wheels



PORTABLE COMPRESSOR 20 BAR / 300 PSI

FOR ALL USES



ROAD BIKE

- Tubetype tires
 - Tubular tires
 - Tubeless
- Its air flow and power are sufficient to fit most tubeless tires



TRIATHLON

- Tubetype tires
 - Tubular tires
 - Tubeless
- Tip designed for lenticular wheels.



MTB / FAT BIKE GRAVEL

- Tubetype tires
 - Tubeless
- Automatic air Chuck:
No need to hold the connector by hand.



FORKS & SHOCK ABSORBERS

- Accurate
- Safe inflation
- Automatic shutdown
- Maximum pressure: 20 BAR / 300 PSI

+ CAR / MOTORCYCLE / QUAD / KARTING...



CHARACTERISTICS

MAIN FEATURES	
Maximum pressure	20 bar / 200 kPa / 300 PSI
Volume generated at 8 bar	35 l / mn
Hose	1,50 m - braided reinforced high pressure
Compatible valve type	Schrader and Presta
Motor voltage	12 V - DC
Internal rechargeable battery	12V - 7 A.h - AMD (lead / acid)
Lubrication	No - Oilless - Maintenance free.
OPERATING MODES	
Works with internal rechargeable battery	yes
Works on 12V car cigarette lighter socket	yes - cable supplied
Works on 230V AC	no
CHARGING	
Charging on 12 V - car cigarette lighter socket	yes - cable supplied
Charging on 230 V	yes - charger supplied
CONTROLS AND DISPLAY	
Selection of the reading unit	bar - PSI - kPa - by pressing the dial
Pressure display (during inflation)	yes
Selection of the desired pressure	By scrolling
Storage and automatic shutdown at the programmed pressure	yes
Battery level display Digital	display on the screen
Charge indicators	3 leds
Automatic shutdown at the desired pressure	yes
Stop during operation	yes
General power switch	yes (ON / OFF)

LOGISTICS	
Model	R180
Reference	900180
GTIN (ean code)	3701329001804
Color packaging	yes
Gross / net weight	6.0 kg / 5.5 kg
Packaging dimension	315 x 310 x 140 mm
Product dimensions	275 x 250 x 100 mm
warranty	2 year (excluding battery and wearing parts)
CE Certifications	yes
MORE PRODUCTS AND ACCESSORIES PROVIDED	
PRESTA / SCHRADER screw connector	x 1
PRESTA / SCHRADER automatic connector	x 1
Magnetic clip-on metal bike holder	x 1 (for bikes up to 9 kg)
Carrying and protective cover with internal pockets	x 1
Screw-in inflation tips	x 3 tips for balloons and inflatable objects
100-240 V AC / 12 V DC charger	x 1
Connection cable for 12 V DC cigarette lighter socket	x 1

PERFORMANCES	
Autonomy (battery charged)*	25 x tubetypes of 23 mm from 0 to 10 bar 25 x 25 mm road tires from 0 to 8 bar 30 x 26" MTB tires from 0 to 3 bar
Inflation time (battery charged)*	Tire 700 x 25 C - 0 to 8 bar: 35 s MTB tire 26" X 2.40 - 0 to 2.8 bar: 50 s

* Values given as an indication. Depend on the type of tire, model and brand.

VISIT OUR WEBSITE

www.poggio-solutions.com

contact@poggio-solutions.com

(+33) 07 80 98 36 21



UK adapter
power plug
included



EN-08-02-2021

